

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	5	(minimum with number\$1 server\$1 with tier\$1) and (average with response with time) and (service with level with metric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/09/22 19:03
L16	1	(minimum with number\$1 with server\$1 with tier\$1) and (average with response with time) and (service with level with metric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/09/22 19:03
L17	9	(minimum with number\$1 with server\$1 with tier\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/09/22 19:04
L18	6	("6009103" "6229816" "6331986"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L19	17056	data near center\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L20	12286	data adj center\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L21	966	L20 and (allocat\$4 same resourc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L22	402	L20 and (allocat\$4 same resourc\$3 same applicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12

EAST Search History

L23	57	L22 and ((instrument\$4 or transact\$4) near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L24	22187	(allocat\$4 near resourc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L25	906	L24 and ((instrument\$4 or transact\$4) near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L26	107	L25 and (workload\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L27	84	L26 and (bandwidth\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L28	99	L26 and (automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L29	7	L23 and (workload same level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L30	30	L24 and ((automatic\$5 near reconfigur\$4) same resourc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12

EAST Search History

L31	77	L27 and (automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L32	270	L24 and ((automatic\$5 same (reconfigur\$4 or reallocat\$4)) same resourc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L33	217	L32 and @ad<="20030722"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:14
L34	33	L33 and (data adj center\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L35	48	("5243596" "5392396" "5506969" "5713043" "6078577" "6985979" "5365516" "5526357" "5784358" "5557611" "6035324" "6119153" "6192406" "6212178" "5485455" "5491694" "5504744" "5521910" "5581703" "5583869" "5640569" "5640595" "5701465" "5790546" "5806085" "6011804" "6012092" "6016500" "6070184" "6085241" "6128717" "6167395" "6212597" "6212178" "6212597" "6243716" "6401167" "4429382" "4591978" "4914619" "4969092" "4977596" "4991089" "5224099" "5313454" "5347511" "5357632" "5388238" "5392434" "5408465").pn.	USPAT	OR	OFF	2006/09/22 19:12
L36	3	L35 and (data near center\$2)	USPAT	OR	OFF	2006/09/22 19:12
L37	27	L35 and (resourc\$2 same allocat\$2)	USPAT	OR	OFF	2006/09/22 19:12
L38	1	(US-20020120744-\$).did.	US-PGPUB	OR	OFF	2006/09/22 19:12
L39	1	(US-20020194251-\$).did.	US-PGPUB	OR	OFF	2006/09/22 19:12
L40	1	(US-20020194251-\$).did.	US-PGPUB	OR	OFF	2006/09/22 19:12
L41	114	((Mixed Integer Programming problem) or MIP2)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/09/22 19:12

EAST Search History

L42	114	L41 and ad@<="20030722"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/09/22 19:12
L43	69	L41 and @ad<="20030722"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/09/22 19:12
L44	1	("6012052").PN.	USPAT; USOCR	OR	OFF	2006/09/22 19:12
L45	1	(US-20020194251-\$).did.	US-PGPUB	OR	OFF	2006/09/22 19:12
L46	234	((Mixed Integer Programming) or MIP2)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2006/09/22 19:12
L47	160	L46 and @ad<="20030722"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:12
L49	37805	"707/".ccls..	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:14
L50	1	49 and (average with response with time) and (service with level with metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:14
L51	156	49 and (average with response with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:15
L52	33	49 and (average with response with time) and (service with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 19:15


Terms used **Resource allocation server utilization**

Found **34,620** of **185,178**

Sort results by


[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Architecture for resource allocation services supporting interactive remote desktop sessions in utility grids](#)



Vanish Talwar, Bikash Agarwalla, Sujoy Basu, Raj Kumar, Klara Nahrstedt

October 2004 **Proceedings of the 2nd workshop on Middleware for grid computing**
MGC '04

Publisher: ACM Press

Full text available:  [pdf\(131.96 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Emerging large scale utility computing systems like Grids promise computing and storage to be provided to end users as a utility. System management services deployed in the middleware are a key to enabling this vision. Utility Grids provide a challenge in terms of scale, dynamism, and heterogeneity of resources and workloads. In this paper, we present a model based architecture for resource allocation services for Utility Grids. The proposed service is built in the context of interactive remo ...

Keywords: QoS, grid computing, remote desktop sessions, resource allocation service


2 [Cluster reserves: a mechanism for resource management in cluster-based network servers](#)



Mohit Aron, Peter Druschel, Willy Zwaenepoel

June 2000 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 2000 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '00**, Volume 28 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(975.49 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In network (e.g., Web) servers, it is often desirable to isolate the performance of different classes of requests from each other. That is, one seeks to achieve that a certain minimal proportion of server resources are available for a class of requests, independent of the load imposed by other requests. Recent work demonstrates how to achieve this performance isolation in servers consisting of a single, centralized node; however, achieving performance isolation in a distributed, cluster bas ...

3 [Scalable and fault-tolerant support for variable bit-rate data in the exedra streaming server](#)



Stergios V. Anastasiadis, Kenneth C. Sevcik, Michael Stumm

November 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(1.01 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe the design and implementation of the Exedra continuous media server, and experimentally evaluate alternative resource management policies using a prototype system that we built. Exedra has been designed to provide scalable and efficient support

for variable bit-rate media streams whose compression efficiency leads to reduced storage space and bandwidth requirements in comparison to constant bit-rate streams of equivalent quality. We examine alternative disk striping policies, and qua ...

Keywords: Content distribution, multimedia compression

4 Multimedia and visualization (MV): Providing resource allocation and performance isolation in a shared streaming-media hosting service



Ludmila Cherkasova, Wenting Tang

March 2004 **Proceedings of the 2004 ACM symposium on Applied computing**

Publisher: ACM Press

Full text available: pdf(474.19 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The trend toward media content hosting is seeing a significant growth as more rich media is used in the enterprise environment and as it becomes mission critical for businesses. A shared media hosting service supports the illusion that each hosted service has its own media server, when, in reality, multiple "logical hosts" may share one physical host. For such a shared media hosting service, the ability to guarantee a specified share of server resources to a particular hosted service is very imp ...

Keywords: QoS guarantees, SLAs, admission control, benchmarking, measurement, media server capacity, performance isolation, shared media hosting, simulation

5 Managing energy and server resources in hosting centers



Jeffrey S. Chase, Darrell C. Anderson, Prachi N. Thakar, Amin M. Vahdat, Ronald P. Doyle

October 2001 **ACM SIGOPS Operating Systems Review , Proceedings of the eighteenth ACM symposium on Operating systems principles SOSP '01**, Volume 35 Issue 5

Publisher: ACM Press

Full text available: pdf(1.61 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Internet hosting centers serve multiple service sites from a common hardware base. This paper presents the design and implementation of an architecture for resource management in a hosting center operating system, with an emphasis on *energy* as a driving resource management issue for large server clusters. The goals are to provision server resources for co-hosted services in a way that automatically adapts to offered load, improve the energy efficiency of server clusters by dynamically res ...

6 Video Storage: System support for providing integrated services from networked multimedia storage servers



Ravi Wijayarathne, A. L. Narasimha Reddy

October 2001 **Proceedings of the ninth ACM international conference on Multimedia**

Publisher: ACM Press

Full text available: pdf(227.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we describe our experience in building an integrated multimedia storage system, Prism. Our current Linux-based implementation of Prism provides three levels of service: deadline guarantees for *periodic* applications, best-effort better response times for *interactive* applications and starvation-free throughput guarantees for *aperiodic* applications. Prism separates resource allocation from resource scheduling. Resource allocation is controlled across the service ...

Keywords: admission control, disk, file systems, multimedia, scheduling

7 Scheduling and resource allocation: SHARP: an architecture for secure resource peering



Yun Fu, Jeffrey Chase, Brent Chun, Stephen Schwab, Amin Vahdat

October 2003 **Proceedings of the nineteenth ACM symposium on Operating systems principles**

Scholar All articles Recent articles Results 1 - 10 of about 16,800 for **Resource allocation server utilization** . (0.17 second

All Results

N Bhatti

S Clearwater

T Abdelzaher

J Hui

B Res

Managing energy and server resources in hosting centers - group of 30 »

JS Chase, DC Anderson, PN Thakar, AM Vahdat, RP ... - ACM SIGOPS Operating Systems Review, 2001 - portal.acm.org

... suppose customer i leases a virtual **server** with a ... way by defining a maximum target **utilization** level p,rg ... 4.2 MSRP **Resource Allocation** We now describe how the ...
Cited by 209 - Related Articles - Web Search - BL Direct

Resource allocation for broadband networks - group of 5 »

JY Hui, BC Res, NJ Morristown - Selected Areas in Communications, IEEE Journal on, 1988 - ieexplore.ieee.org

... we pre-sume, is provided by some route address **server** governing a service area (Fig. 1). Thus initially, the **resource** con- sidered for **allocation** is a set of G ...
Cited by 344 - Related Articles - Web Search

A simple theory of traffic and resource allocation in ATM

S Low, P Varaiya - Global Telecommunications Conference, 1991. GLOBECOM'91. ..., 1991 - ieexplore.ieee.org

... and the options for **resource allocation** among simultaneous ... terms of their blocking probability and **server utilization**. ... 3] investigated buffer **allocation** in a ...
Cited by 29 - Related Articles - Web Search

Performance guarantees for Web server end-systems: acontrol-theoretical approach - group of 11 »

TF Abdelzaher, KG Shin, N Bhatti - Parallel and Distributed Systems, IEEE Transactions on, 2002 - ieexplore.ieee.org

... focused on CPU scheduling and **resource allocation** such as ... from prior approaches to middleware **resource** management, such as ... fill levels of a Lotus Notes **server**. ...
Cited by 148 - Related Articles - Web Search - BL Direct

Memory resource management in VMware ESX server - group of 7 »

CA Waldspurger - ACM SIGOPS Operating Systems Review, 2002 - waldspurger.org

... Sharing • **Allocation** policies • Conclusions Page 3. 3 ... 3 Motivation • **Server** consolidation ... **Resource** management • Fairness, performance isolation ...
Cited by 99 - Related Articles - View as HTML - Web Search - BL Direct

[book] Resource allocation problems: algorithmic approaches - group of 4 »

T Ibaraki, N Katoh - 1988 - MIT Press Cambridge, MA, USA

... with application to the **resource allocation** problem, Discrete ... Jeng-Fung Chen, Component **allocation** in multi ... P. Doyle, Managing energy and **server** resources in ...
Cited by 213 - Related Articles - Web Search - Library Search

Market-based resource control for mobile agents - group of 16 »

J Bredin, D Kotz, D Rus - Proceedings of the second international conference on ..., 1998 - portal.acm.org

... 5.3 Modeling Auctions for **Resource Allocation** To model and ... and n clients (agents requesting the **resource**). ... est client is simply the **server utilization** times p ...
Cited by 80 - Related Articles - Web Search

[PS] An empirical study of client interactions with a continuous-media courseware server - group of 9 »

J Padhye, J Kurose - Proceedings of NOSSDAV, 1998 - historical.ncstrl.org

... a user workload characterization { is crucial in designing and evaluating eicient **CM resource allocation** and access ... Audio **Server Utilization** in a Session ...
Cited by 57 - Related Articles - View as HTML - Web Search